



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/943,910		08/31/2001	J. Stuart Cumming	HO-P02089US1	2364
26271	7590	10/07/2002			
FULBRIG	HT & JA	WORSKI, LLP	EXAMINER		
1301 MCKINNEY SUITE 5100 HOUSTON, TX 77010-3095				GILPIN, CRYSTAL M	
				ART UNIT	PAPER NUMBER
				3738	
				DATE MAILED: 10/07/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

-1-1-1	Application No.	Applicant(s)					
	09/943,910	CUMMING, J. STUART					
Office Action Summary	Examiner	Art Unit					
<u>-</u>	Crystal M Gilpin	3738					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address							
Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no ever, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on							
· —	his action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1-14</u> is/are pending in the applicatio	n. .	•					
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-14</u> is/are rejected.	6)⊠ Claim(s) <u>1-14</u> is/are rejected.						
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner.							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). 11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No.							
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) The translation of the foreign language provisional application has been received. 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Inform	ary (PTO-413) Paper No(s) al Patent Application (PTO-152)					

Application/Control Number: 09/943,910

Art Unit: 3738

DETAILED ACTION

Examiner Notes:

- Page 2, paragraph 2: Misspelling of the word "to" in "Improved
 accommodating intraocular lenses according t the
 invention include..."
- 2. Claims originally numbered as 48-55 were renumbered as 1-8 (Page 11-12) respectively. Claims originally numbered as 55-60 in the amendment filed on August 31, 2001 (received by the office on October 26, 2001) were renumbered as 9-14 (Page 5-6 of amendment) respectively. Renumbering of the claims by the applicant is required.
- U.S. Patents were considered although no copies were included, however a copy of the non-patent literature document must be provided for consideration.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
 - Claims 1, 2 and 3-8 are rejected under 35 U.S.C. 102(b) as being anticipated by Choyce (USPN 4,277,851).

Regarding claim 1, Choyce teaches of an intraocular implant that with two plate

Art Unit: 3738

haptics extending from the optic (Figure 3,) the space between the protuberances (Figure 3, reference numbers 2 and 3) constituting a notch on the haptic.

Regarding claim 2, Choyce teaches that the concavities, or notches, of the endedges reduce the size and weight of the implant (Column 2, Lines 40-42), thus rendering the implant less likely to move within the eye (Column 3, Lines 36-39).

Regarding claims 3 and 4, Choyce teaches of notches with edges that are positioned at an angle from the axis and edges of the haptics (Figure 3).

Regarding claims 5 and 6, Choyce teaches of notches with edges that are disposed at an angle which crosses, or is transverse to, the axis and edges of the haptic (Figure 3).

Regarding claim 7, Choyce teaches of feet or protuberances extending from the haptics, which serve as support, or fixation, members.

Regarding claim 8, Choyce teaches of an aperture that serves as an opening permitting fluid flow, reduces the weight of the implant and aids in positioning the implant.

2. Claims 9-14 are rejected under 35 USC 102(b) as being anticipated by Richards et al. (US 4,994,082).

Regarding claims 9-14, Richards discloses in the embodiment of Figures 3 and 4, that the haptics are designed to move the lenses either anteriorly or posteriorly when compressed by a ciliary muscle contraction; see Figures 3 and 4 as well as column 5, line 33 to column 7, line 17 and column 11, line 39 to column 12, line 56. The protuberances are met by curved sections (110, 112, 114), which extend posteriorly and anteriorly from the haptic arm pairs (104, 106, 108); see Figure 4. The curved sections extend laterally X or Y axis; see Figure 1 for the X and Y axis.



Application/Control Number: 09/943,910

Art Unit: 3738

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The following patents are cited to further show the state of the art with repect to vascular prosthetic devices in general:

Momose et al. (USPN 5,133,750)

Smith (USPN 4,872,876)

Tennant (USPN 4,254,509)

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Crystal M Gilpin whose telephone number is 703-305-8122. The examiner can normally be reached on M-F, 7:30-5:30 (First Friday off).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Corrine McDermott can be reached on 703-308-2111. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-3905 for regular communications and 703-308-3905 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0858.

Cotcher 1

October 1, 2002

Paul B. Prebilic Primery Examiner